



FACV-4

The top-selling FACV-4 is the best choice for high quality.


The FACV-4 is the top selling 3-thread fleece machine of Terrot. With this easy handling machine producing top quality you will achieve a high customer satisfaction in your commercial production.



- High-tech touch panel for an easy and user-friendly operation
- Fabric width 1340 mm from 26" to 34"
- High performance
- Best fabric quality
- Less maintenance activities

FACV-4

The top-selling FACV-4 is the best choice for high quality.



Best choice for commercial production.

Advantages at a glance

- Fabric roll diameter up to Ø 480 mm
- 4 needle tracks, equipped with needles and cams
- Electronic needle detectors
- Central stitch length adjustment
- 3-feeder cylinder cam boxes
- Needle bed lighting
- Memmiger IRO MPF positive feeding units

Additional

- pneumatic oiler
- frame with high legs
- side self-cleaning yarn creel
- elastane equipment
- fabric scanner

Production data for the FACV-4 [85 %]*

Diameter [Inch]	Feeders	Gauges [E]	Needles	Speed [rpm]
32"	96	20	1980	21

Structure	Yarn	Width [mm]	Weight [gsm]	Production per Hour	
				[m/h]	[kg/h]
3-thread fleece 3-1 alternated	Ground: PES dtex 78 blue Binding: CO Nm 34/1 (Ne 20s) Fleece: CO Nm 17/1 (Ne 10s)	2310	292	26.3	17.8
	Ground: CO Nm 60/1 (Ne 35s) Binding: CO Nm 34/1 (Ne 20s) Fleece: CO Nm 17/1 (Ne 10s)	2280	332	26.3	20

*Final efficiency of the machine and in the production is related to the quality of the yarn, adjustment of the machine and general condition and circumferences at customer's knitting plant.

Technical details

Diameters [inch]	26	30	32	34
Feeders	78 / 26	90 / 30	96 / 32	102 / 34
Speed up to [rpm]	26	23	21	20
Gauges [E]	18 - 24			
Speedfactor [max.]	690			
Knitting technology	mechanical controlled, elastane plating			
Possible structures	3-thread fleece			
Fabric application	Outerwear			

new textile horizons.